

TRIP REPORT

Subtropical Argentina

December 2006

Kini Roesler



INTRODUCTION

Our tour of **Subtropical Argentina** is a great choice for traveling across the warm northern half of the country. From the high Andes to the mighty Iguazú falls, and across the impenetrable Chaco woods and Iberá wetlands, our trip follows a line close to the tropic of Capricorn, driving through all kinds of contrasting environments and the most fantastic landscape settings: the Puna steppes in the Altiplano, the desert scrub, cloud forests and rainforests, grasslands and marshes.

This extraordinary gradient of terrain and climate results in an enormous diversity of birds. We regularly get over 500 species, far too many to cite all the good ones seen on this trip, but we could mention Black-legged Seriema, Red-faced Guan, Rufous-throated Dipper, Sandy Gallito, White-tailed Shrike-Tyrant, Rufous-bellied Saltator, Stripe-headed Brush-Finch, Red-backed Sierra-Finch and Tucuman Mountain-Finch as the top northwestern ones.

On the other hand, the northeast treated us with Pale-crested Woodpecker, Crested Doradito, Strange-tailed Tyrant, Black-fronted Piping-Guan, Dark-throated and Chestnut Seedeaters, among others. Quantity was as good as quality throughout the trip, as we had hundreds of flamingos on the high Andes, thousands of herons and waders in the Iberá marshes and swarms of Great Dusky Swifts in Iguazú falls.

Such a comprehensive trip requires careful preparation in order to dedicate ample time for birding every environment. Some areas could be logistically complicated, so we always stay at least two days on the same spot before moving forward. This allowed us to have night outings every three days or so, although some showers made our birding more challenging this time. But we managed to get superb views of Lyre-tailed Nightjar displaying males, Montane-forest Screech-owl, Chaco Owl and Black-banded Owl.

After three amazing weeks, northern Argentina treated us with fabulous birding, enhanced by the most spectacular scenery. We found 527 species listed on the following pages.

REFERENCES USED ON THE LIST

X = A species seen on several localities.

i = INTRODUCED

e = ENDEMIC SPECIES

eb = ENDEMIC BREEDER

ne = NEAR ENDEMIC (90% or more of their distribution is in one country)

Global threat categories by BirdLife international:

CR = CRITICAL

EN = ENDANGERED

VU = VULNERABLE

NT = NEAR THREATENED

NUM	REF	ENGLISH NAME	LATIN NAME	COMMENTS
Family Rheidae (Rheas)				
1	NT	Greater Rhea	<i>Rhea americana</i>	Several groups in Chaco and Corrientes provinces.
2	NT	Lesser Rhea	<i>Pterocnemia pennata</i>	Only a lonely male around Abra Pampa.
Family Tinamidae (Tinamous)				
3	NT	Solitary Tinamou	<i>Tinamus solitarius</i>	One heard at Iguazu NP.
4		Tataupa Tinamou	<i>Crypturellus tataupa</i>	One seen at Iguazu NP
5		Red-winged Tinamou	<i>Rhynchotus rufescens</i>	Several heard and only one seen at Loreto.
6		Huayco Tinamou	<i>Rhynchotus maculicollis</i>	One heard around Salta.
7		Ornate Tinamou	<i>Nothoprocta ornata</i>	One above Humahuaca.
8		Andean Tinamou	<i>Nothoprocta pentlandii</i>	Fairly common.
9		Brushland Tinamou	<i>Nothoprocta cinerascens</i>	Few around JV Gonzales.
10		Spotted Nothura	<i>Nothura maculosa</i>	Common at Corrientes and Chaco provinces.
11	NE	Elegant Crested-Tinamou	<i>Eudromia elegans</i>	Two at Los Quilmes.
12		Puna Tinamou	<i>Tinamotis pentlandii</i>	A female with 6 chicks and a group of three adults above Uquía.
Family Anhimidae (Screamers)				
13		Southern Screamer	<i>Chauna torquata</i>	Common at Corrientes and Chaco provinces.
Family Anatidae (Ducks, Geese, Swans)				
14		White-faced Whistling-Duck	<i>Dendrocygna viduata</i>	Few in Yala lagoons.
15		Black-bellied Whistling-Duck	<i>Dendrocygna autumnalis</i>	A group at Loreto.
16		Coscoroba Swan	<i>Coscoroba coscoroba</i>	Common at Tafí.
17		Andean Goose	<i>Chloephaga melanoptera</i>	Few pairs at Abra Pampa.
18		Muscovy Duck	<i>Cairina moschata</i>	One pair at Iguazú NP.
19		Comb Duck	<i>Sarkidiornis melanotos</i>	Common around Las Lajitas.
20		Brazilian Teal	<i>Amazonetta brasiliensis</i>	The commonest duck.
21		Torrent Duck	<i>Merganetta armata</i>	One pair at Tafí and another in Yala.
22		Crested Duck	<i>Lophonetta specularioides</i>	Few at Abra Pampa.
23		Red Shoveler	<i>Anas platalea</i>	Few at Tafí.
24		Cinnamon Teal	<i>Anas cyanoptera</i>	Several in Humahuaca.
25		Puna Teal	<i>Anas puna</i>	One pair at Abra Pampa.
26		Speckled Teal	<i>Anas flavirostris</i>	Common.
27		White-cheeked Pintail	<i>Anas bahamensis</i>	One pair at Yala lagoons.
28	E	South-georgia Pintail	<i>Anas georgica</i>	Common.
29		Rosy-billed Pochard	<i>Netta peposaca</i>	One pair at Tafí.
30		Ruddy-Duck	<i>Oxyura jamaicensis</i>	One pair at Tafí.
Family Cracidae (Chachalacas, Guans, Curassows)				
31		Rusty-margined Guan	<i>Penelope superciliaris</i>	One at Iguazú NP.
32		Red-faced Guan	<i>Penelope dabbeni</i>	Several Individuals at Yala.
33		Dusky-legged Guan	<i>Penelope obscura</i>	Several at Yala PP.
34	EN	Black-fronted Piping-Guan	<i>Pipile jacutinga</i>	One at Iguazú NP.
35		Chaco Chachalaca	<i>Ortalis canicollis</i>	Common in Chaco woodlands.
Family Odontophoridae (Quails)				
36		Spot-winged Wood-Quail	<i>Odontophorus capueira</i>	Only heard in Misiones province.
Family Podicipedidae (Grebes)				
37		Pied-billed Grebe	<i>Podilymbus podiceps</i>	One individual in a lake close to Jujuy city.
Family Phoenicopteridae (Flamingos)				
38	NT	Chilean Flamingo	<i>Phoenicopeterus chilensis</i>	Common at Abra Pampa.
39	VU	Andean Flamingo	<i>Phoenicoparrus andinus</i>	Only two at Abra Pampa.

40	NT	Jame's Flamingo	<i>Phoenicoparrus jamesi</i>	Common at Abra Pampa.
Family Phalacrocoracidae (Cormorants, Cormorants)				
41		Neotropic Cormorant	<i>Phalacrocorax brasilianus</i>	Abundant.
Family Anhingidae (Anhingas)				
42		Anhinga	<i>Anhinga anhinga</i>	Few at Iguazú NP.
Family Ardeidae (Herons, Egrets, Bitterns)				
43		Rufescent Tiger-Heron	<i>Tigrisoma lineatum</i>	One in Corrientes. Only heard in a marshland in Corrientes.
44		Stripe-backed Bittern	<i>Ixobrychus involucris</i>	
45		Least Bittern	<i>Ixobrychus exilis</i>	Two individuals heard around Loreto.
46		Black-crowned Night-Heron	<i>Nycticorax nycticorax</i>	Common.
47		Striated Heron	<i>Butorides striata</i>	Common.
48		Cattle Egret	<i>Bubulcus ibis</i>	Abundant.
49		Cocoi Heron	<i>Ardea cocoi</i>	Fairly common.
50		Great Egret	<i>Ardea alba</i>	Common.
51		Whistling Heron	<i>Syrigma sibilatrix</i>	Fairly common.
52		Snowy Egret	<i>Egretta thula</i>	Common.
Family Threskiornithidae (Ibises, Spoonbills)				
53		White-faced Ibis	<i>Plegadis chihi</i>	Fairly common.
54		Puna Ibis	<i>Plegadis ridgwayi</i>	Few individuals at Abra Pampa.
55		Buff-necked Ibis	<i>Theristicus caudatus</i>	One in Yala PP.
Family Ciconiidae (Storks)				
56		Maguari Stork	<i>Ciconia maguari</i>	Common at Corrientes and Chaco provinces.
57		Jabiru	<i>Jabiru mycteria</i>	One pair in Corrientes province.
58		Wood Stork	<i>Mycteria americana</i>	Fairly common in wetlands of east Chaco and Corrientes.
Family Cathartidae (Vultures)				
59		Turkey Vulture	<i>Cathartes aura</i>	Abundant.
60		Lesser Yellow-headed Vulture	<i>Cathartes burrovianus</i>	Common over grasslands in Corrientes.
61		Black Vulture	<i>Coragyps atratus</i>	Abundant.
62		King Vulture	<i>Sarcoramphus papa</i>	Two in Calilegua NP.
63	NT	Andean Condor	<i>Vultur gryphus</i>	Not uncommon. A group of more than 30 in El Infiernillo.
Family Accipitridae (Hawks, Kites, Eagles)				
64		Hook-billed Kite	<i>Chondrohierax uncinatus</i>	One young at Yala PP and two others at Calilegua NP.
65		Swallow-tailed Kite	<i>Elanoides forficatus</i>	Fairly common in forests.
66		White-tailed Kite	<i>Elanus leucurus</i>	Not uncommon.
67		Snail Kite	<i>Rostrhamus sociabilis</i>	Common in marshlands of Corrientes province.
68		Plumbeous Kite	<i>Ictinia plumbea</i>	Common in rainforest.
69		Long-winged Harrier	<i>Circus buffoni</i>	Common.
70		Cinereous Harrier	<i>Circus cinereus</i>	One seen in a grassland in Corrientes province.
71		Sharp-shinned Hawk	<i>Accipiter striatus</i>	One in a woodland in Loreto.
72		Great Black-Hawk	<i>Buteogallus urubitinga</i>	One in a marshland around Loreto.
73		Savanna Hawk	<i>Buteogallus meridionalis</i>	Common.
74		Harri's Hawk	<i>Parabuteo unicinctus</i>	One in Los Quilmes.
75		Roadside Hawk	<i>Buteo magnirostris</i>	Abundant.
76		White-rumped Hawk	<i>Buteo leucorrhous</i>	Two in Calilegua NP.
77		Short-tailed Hawk	<i>Buteo brachyurus</i>	One pair in Calilegua NP.
78		Swainson's Hawk	<i>Buteo swainsoni</i>	Several individuals around Las Lajitas.
79		Red-backed Hawk	<i>Buteo polyosoma</i>	Common.

80	Puna Hawk	<i>Buteo poecilochrous</i>	Although the taxonomy is still controversial, we assume that the birds found on the higher parts of the Altiplano belong to this form.
----	-----------	----------------------------	--

Family Falconidae (Caracaras, Falcons)

81	Barred Forest-Falcon	<i>Micrastur ruficollis</i>	Heard at Calilegua NP.
82	Collared Forest-Falcon	<i>Micrastur semitorquatus</i>	Heard at Calilegua NP.
83	Southern Caracara	<i>Caracara plancus</i>	Abundant.
84	Mountain Caracara	<i>Phalcoboenus megalopterus</i>	Common at Puna habitats.
85	Yellow-headed Caracara	<i>Milvago chimachima</i>	Common in eastern Chaco and Corrientes grasslands.
86	Chimango Caracara	<i>Milvago chimango</i>	Common.
87	American Kestrel	<i>Falco sparverius</i>	Abundant.
88	Aplomado Falcon	<i>Falco femoralis</i>	Fairly Common.
89	Peregrine Falcon	<i>Falco peregrinus</i>	Several pairs were seen. All belonging to <i>cassini</i> ssp.

Family Aramididae (Limpkin)

90	Limpkin	<i>Aramus guarauna</i>	Scarce.
----	---------	------------------------	---------

Family Rallidae (Crakes, Rails, Coots)

91	Grey-necked Wood-Rail	<i>Aramides cajanea</i>	Fairly common in Corrientes.
92	Giant Wood-Rail	<i>Aramides ypecaha</i>	Abundant.
93	Rufous-sided Crake	<i>Laterallus melanophaius</i>	Heard only in marshlands of Corrientes.
94	Ash-throated Crake	<i>Porzana albicollis</i>	Heard at dawn in Loreto.
95	Spotted Rail	<i>Pardirallus maculatus</i>	Heard in southern Misiones province.
96	Blackish Rail	<i>Pardirallus nigricans</i>	One pair seen at Iguazú NP.
97	Plumbeous Rail	<i>Pardirallus sanguinolentus</i>	One seen at Humahuaca.
98	Common Moorhen	<i>Gallinula chloropus</i>	Fairly common.
99	Purple Gallinule	<i>Porphyrio martinica</i>	One in Loreto.
100	White-winged Coot	<i>Fulica leucoptera</i>	Common.
101	Slate-colored Coot	<i>Fulica ardesiaca</i>	Common.
102	Red-gartered Coot	<i>Fulica armillata</i>	Numerous in Tafí.
103	Red-fronted Coot	<i>Fulica rufifrons</i>	Only a pair in Tafí.
104	Giant Coot	<i>Fulica gigantea</i>	Two at Abra Pampa.

Family Cariamidae (Seriemas)

105	Black-legged Seriema	<i>Chunga burmeisteri</i>	Two in Tucuman province.
-----	----------------------	---------------------------	--------------------------

Family Charadriidae (Plovers, Lapwings)

106	Southern Lapwing	<i>Vanellus chilensis</i>	Abundant.
107	Andean Lapwing	<i>Vanellus resplendens</i>	Common in highlands.
108	American Golden Plover	<i>Pluvialis dominica</i>	One individual in Abra Pampa.
109	Puna Plover	<i>Charadrius alticola</i>	One pair in a highland lagoon around Abra Pampa.

Family Recurvirostridae (Stilts, Avocets)

110	Black-necked Stilt	<i>Himantopus mexicanus</i>	Common in most lagoons.
111	Andean Avocet	<i>Recurvirostra andina</i>	One pair at Abra Pampa.

Family Scolopacidae (Snipe, Sandpipers)

112	South American Snipe	<i>Gallinago paraguaiiae</i>	One at Tafí.
113	Greater Yellowlegs	<i>Tringa melanoleuca</i>	Two individuals at Chaco NP.
114	Solitary Sandpiper	<i>Tringa solitaria</i>	One at Iguazú Falls.
115	Baird's Sandpiper	<i>Calidris bairdii</i>	One at Chaco NP.

Family Thinocoridae (Seedsnipe)

116	Grey-breasted Seedsnipe	<i>Thinocorus orbignyianus</i>	One pair above Uquia.
-----	-------------------------	--------------------------------	-----------------------

Family Laridae (Skuas, Gulls, Terns, Skimmer)

117	Andean Gull	<i>Chroicocephalus serranus</i>	Common in most highland lagoons.
118	Brown-hooded Gull	<i>Chroicocephalus maculipennis</i>	Common.
119	Kelp Gull	<i>Larus dominicanus</i>	Uncommon.

120		Yellow-billed Tern	<i>Sternula superciliaris</i>	Two at a pond around Loreto.
121		Large-billed Tern	<i>Phaetusa simplex</i>	Several at Iberá marshlands.
Family Rhynchopidae (Skimmers)				
122		Black Skimmer	<i>Rynchops niger</i>	A group in Loreto.
Family Columbidae (Pigeons, Doves)				
123		Ruddy Ground-Dove	<i>Columbina talpacoti</i>	Common in the northeast.
124		Picui Ground-Dove	<i>Columbina picui</i>	Abundant.
125		Blue Ground-Dove	<i>Claravis pretiosa</i>	Heard only at Iguazu.
126		Bare-faced Ground-Dove	<i>Metriopelia ceciliae</i>	Common at Yavi.
127	E	Bare-eyed Ground-Dove	<i>Metriopelia morenoi</i>	Not rare at Infiernillo and Cuesta del Obispo.
128		Black-winged Ground-Dove	<i>Metriopelia melanoptera</i>	Common.
129		Golden-spotted Ground-Dove	<i>Metriopelia aymara</i>	Just a few pairs at the higher parts of the Puna.
130	I	Rock Pigeon	<i>Columba livia</i>	Abundant.
131		Picazuro Pigeon	<i>Patagioenas picazuro</i>	Common.
132		Spot-winged Pigeon	<i>Patagioenas maculosa</i>	Common.
133		Pale-vented Pigeon	<i>Patagioenas cayennensis</i>	Common in forests.
134		Eared Dove	<i>Zenaida auriculata</i>	Abundant.
135		White-tipped Dove	<i>Leptotila verreauxi</i>	Common.
136		Large-tailed Dove	<i>Leptotila megalura</i>	Few at Yala and Calilegua NP.
137		Grey-fronted Dove	<i>Leptotila rufaxilla</i>	Several at Iguazú NP.
138		White-throated Quail-Dove	<i>Geotrygon frenata</i>	Heard only at Calilegua NP.
Family Psittacidae (Parrots)				
139		Golden-collared Macaw	<i>Primolius auricollis</i>	Few groups seen in Calilegua NP.
140		Blue-crowned Parakeet	<i>Aratinga acuticaudata</i>	Common at Chaco NP.
141		Mitred Parakeet	<i>Aratinga mitrata</i>	Common in the yungas.
142		White-eyed Parakeet	<i>Aratinga leucophthalma</i>	Common.
143		Nanday Parakeet	<i>Nandayus nenday</i>	A big group of c. 50 individuals at Chaco NP.
144	NE	Burrowing Parrot	<i>Cyanoliseus patagonus</i>	Common.
145		Maroon-bellied Parakeet	<i>Pyrrhura frontalis</i>	Common.
146		Green-cheeked Parakeet	<i>Pyrrhura molinae</i>	Scarce.
147		Monk Parakeet	<i>Myiopsitta monachus</i>	Abundant.
148		Grey-hooded Parakeet	<i>Psilopsiagon aymara</i>	Common in Humahuca gorge.
149		Mountain Parakeet	<i>Psilopsiagon aurifrons</i>	Fairly common around Tres Cruces.
150		Blue-winged Parrotlet	<i>Forpus xanthopterygius</i>	Common at Iguazú NP (one pair nesting in an Hornero nest).
151		Scaly-headed Parrot	<i>Pionus maximiliani</i>	Common.
152	NT	Tucuman Parrot	<i>Amazona tucumana</i>	Few pairs at Calilegua NP.
153		Blue-fronted Parrot	<i>Amazona aestiva</i>	Not rare at areas with Chaco woodlands.
Family Cuculidae (Cuckoos, Anis)				
154		Pearly-breasted Cuckoo	<i>Coccyzus euleri</i>	Heard at Iguazú NP.
155		Dark-billed Cuckoo	<i>Coccyzus melacoryphus</i>	Common.
156		Greater Ani	<i>Crotophaga major</i>	Common in Misiones province.
157		Smooth-billed Ani	<i>Crotophaga ani</i>	Common.
158		Guira Cuckoo	<i>Guira guira</i>	Abundant.
159		Striped Cuckoo	<i>Tapera naevia</i>	Few heard and only one seen at Chaco NP.
160		Pavonine Cuckoo	<i>Dromococcyx pavoninus</i>	Heard only at Iguazu.
Family Tytonidae (Barn Owls)				
161		Barn Owl	<i>Tyto alba</i>	Commonly heard and few seen.
Family Strigidae (Owls)				
162		Tropical Screech-Owl	<i>Megascops choliba</i>	Common.
163		Montane Forest Screech-Owl	<i>Megascops höyi</i>	One pair at Calilegua NP.
164		Chaco Owl	<i>Strix chacoensis</i>	One seen around JV Gonzales.

165		Black-banded Owl	<i>Ciccaba huhula</i>	One individual at Calilegua NP.
166		Yungas Pygmy-Owl	<i>Glaucidium bolivianum</i>	Heard only.
167		Ferruginous Pygmy-Owl	<i>Glaucidium brasilianum</i>	Common.
168		Burrowing Owl	<i>Athene cucularia</i>	Abundant.
169		Short-eared Owl	<i>Asio flammeus</i>	One seen at Tafi.
Family Caprimulgidae (Nighthawks, Nightjars)				
170		Common Pauraque	<i>Nyctidromus albicollis</i>	Only one seen close to Iguazú NP.
171		Little Nightjar	<i>Caprimulgus parvulus</i>	One seen at JV Gonzales.
172		Scissor-tailed Nightjar	<i>Hydropsalis torquata</i>	Two seen at Los Quilmes.
173		Lyre-tailed Nightjar	<i>Uropsalis lyra</i>	One male and One female seen at Yala PP.
Family Apodidae (Swifts)				
174	NT	Rothschild's Swift	<i>Cypseloides rothschildi</i>	Two groups at Calilegua NP.
175		Great Dusky Swift	<i>Cypseloides senex</i>	Abundant at Iguazú NP.
176		White-collared Swift	<i>Streptoprocne zonaris</i>	Common.
177		Grey-rumped Swift	<i>Chaetura cinereiventris</i>	Not rare at Misiones.
178		Sick's Swift	<i>Chaetura meridionalis</i>	Common.
179		Andean Swift	<i>Aeronautes andecolus</i>	Common.
Family Trochilidae (Hummingbirds)				
180		Scale-throated Hermit	<i>Phaethornis eurynome</i>	One at Iguazú NP.
181		Planalto Hermit	<i>Phaethornis pretrei</i>	One at the Hummingbirds feeders.
182		Sparkling Violetear	<i>Colibri coruscans</i>	Common in the humid highlands valleys.
183		Black-throated Mango	<i>Anthracothorax nigricollis</i>	Common at the Hummingbird feeder.
184		Red-tailed Comet	<i>Sappho sparganura</i>	Common.
185		Andean Hillstar	<i>Oreotrochilus estella</i>	Few individuals above Humahuaca gorge.
186		White-sided Hillstar	<i>Oreotrochilus leucopleurus</i>	Few at Humahuaca gorge.
187	NT	Wedge-tailed Hillstar	<i>Oreotrochilus adela</i>	One male at Yavi.
188		Blue-capped Puffleg	<i>Eriocnemis glaucopoides</i>	One pair at Calilegua NP.
189		Giant Hummingbird	<i>Patagona gigas</i>	A few feeding on tobacco plants.
190		Blue-tufted Starthroat	<i>Heliomaster furcifer</i>	One male at JV Gonzales.
191		Slender-tailed Woodstar	<i>Microstilbon burmeisteri</i>	One at the road to Tafi.
192		Glittering-bellied Emerald	<i>Chlorostilbon aureoventris</i>	Common.
193		Violet-capped Woodnymph	<i>Thalurania glaucopis</i>	One at the Hummingbird feeders.
194		White-bellied Hummingbird	<i>Amazilia chionogaster</i>	Common.
195		Versicolored Emerald	<i>Amazilia versicolor</i>	Common.
196		Gilded Sapphire	<i>Hylocharis chrysura</i>	Common.
Family Trogonidae (Trogons)				
197		Black-throated Trogon	<i>Trogon rufus</i>	Several heard and a couple seen at Iguazú.
198		Surucua Trogon	<i>Trogon surrucura</i>	Common at Misiones.
199		Blue-crowned Trogon	<i>Trogon curucui</i>	A male at Calilegua NP.
Family Alcedinidae (Kingfishers)				
200		Ringed Kingfisher	<i>Megaceryle torquata</i>	Common.
201		Amazon Kingfisher	<i>Chloroceryle amazona</i>	One at Loreto.
202		Green Kingfisher	<i>Chloroceryle americana</i>	Few at Loreto.
Family Momotidae (Motmots)				
203		Rufous-capped Motmot	<i>Baryphthengus ruficapillus</i>	Commonly heard but only one seen at Iguazu.
Family Bucconidae (Puffbirds, Nunlets)				
204		Chaco Puffbird	<i>Nystalus striatipectus</i>	One seen at JV Gonzales.
205		Rusty-breasted Nunlet	<i>Nonnula rubecula</i>	One seen at Iguazú NP.
Family Ramphastidae (Toucans)				
206		Red-breasted Toucan	<i>Ramphastos dicolorus</i>	One group at Iguazú NP.
207		Toco Toucan	<i>Ramphastos toco</i>	Common.
208		Chestnut-eared Aracari	<i>Pteroglossus castanotis</i>	A group in Pto. Iguazú.

Family Picidae (Woodpeckers)				
209		White-barred Piculet	<i>Picumnus cirratus</i>	Common.
210		Ochre-collared Piculet	<i>Picumnus temminckii</i>	Few at Misiones rainforests.
211		White Woodpecker	<i>Melanerpes candidus</i>	Common at Corrientes and Chaco provinces.
212		Yellow-fronted Woodpecker	<i>Melanerpes flavifrons</i>	A family group seen at Iguazu NP.
213		White-fronted Woodpecker	<i>Melanerpes cactorum</i>	Common at Los Quilmes.
214		Smoky-Brown Woodpecker	<i>Picooides fumigatus</i>	One at Yala PP.
215		Checkered Woodpecker	<i>Veniliornis mixtus</i>	One at Los Quilmes.
216		Dot-fronted Woodpecker	<i>Veniliornis frontalis</i>	One at the lower part of Cuesta del Obispo.
217		White-spotted Woodpecker	<i>Veniliornis spilogaster</i>	Common at Iguazú NP.
218		Golden-Olive Woodpecker	<i>Colaptes rubiginosus</i>	One at Calilegua NP.
219		Green-barred Woodpecker	<i>Colaptes melanochloros</i>	Common.
220		Andean Flicker	<i>Colaptes rupicola</i>	Several around Tafi and In Cuesta del Obispo.
221		Campo Flicker	<i>Colaptes campestris</i>	Common.
222		Pale-crested Woodpecker	<i>Celeus lugubris</i>	One at Chaco NP.
223		Blond-crested Woodpecker	<i>Celeus flavescens</i>	A pair at Iguazu NP.
224		Lineated Woodpecker	<i>Dryocopus lineatus</i>	Common.
225	NT	Black-bodied Woodpecker	<i>Dryocopus schulzi</i>	Two in a Quebracho woodland at Chaco NP.
226		Cream-backed Woodpecker	<i>Campephilus leucopogon</i>	A couple in Calilegua NP.
Family Furnariidae (Ovenbirds)				
227		Puna Miner	<i>Geositta punensis</i>	Few around Abra Pampa.
228	NE	Creamy-rumped Miner	<i>Geositta isabellina</i>	One pair above Uquia.
229		Rufous-banded Miner	<i>Geositta rufipennis</i>	Common.
230		Common Miner	<i>Geositta cunicularia</i>	Common.
231		Rock Earthcreeper	<i>Ochetorhynchus andeacola</i>	Few at Yavi.
232		Straight-billed Earthcreeper	<i>Ochetorhynchus ruficaudus</i>	Common in the road to Abra Pampa.
233		Plain-breasted Earthcreeper	<i>Upucerthia jelskii</i>	Few above Uquia.
234	E	Buff-breasted Earthcreeper	<i>Upucerthia validirostris</i>	Two individuals at El Infiernillo.
235		Bar-winged Cinclodes	<i>Cinclodes fuscus</i>	Common.
236		White-winged Cinclodes	<i>Cinclodes atacamensis</i>	Common.
237		Rufous Hornero	<i>Furnarius rufus</i>	Abundant.
238		Crested Hornero	<i>Furnarius cristatus</i>	A pair at JV Gonzales.
239		Brown-capped Tit-Spintail	<i>Leptasthenura fuliginiceps</i>	One at Tafi and another one at Humahuaca gorge.
240		Plain-mantled Tit-Spintail	<i>Leptasthenura aegithaloides</i>	Common.
241		Chotoy Spintail	<i>Schoeniophylax phryganophilus</i>	One at Chaco NP.
242		Rufous-capped Spintail	<i>Synallaxis ruficapilla</i>	Common in Atlantic rainforest.
243		Sooty-fronted Spintail	<i>Synallaxis frontalis</i>	Common in chaco woodlands.
244		Azara's Spintail	<i>Synallaxis azarae</i>	One at Calilegua NP.
245		Pale-breasted Spintail	<i>Synallaxis albescens</i>	Common.
246		Grey-bellied Spintail	<i>Synallaxis cinerascens</i>	Two at Iguazú NP.
247		Ochre-cheeked Spintail	<i>Synallaxis scutata</i>	One at Yala PP.
248		Olive Spintail	<i>Cranioleuca obsoleta</i>	One at Iguazú NP.
249		Stripe-crowned Spintail	<i>Cranioleuca pyrrhophia</i>	Common.
250		Sharp-billed Canastero	<i>Asthenes pyrrholeuca</i>	One at Humahuaca gorge.
251		Short-billed Canastero	<i>Asthenes baeri</i>	Few at Los Quilmes area.
252	NT	Maquis Canastero	<i>Asthenes heterura</i>	One in a scrubby valley at Cuesta del Obispo.
253		Cordilleran Canastero	<i>Asthenes modesta</i>	Common in highland's graslands.
254		Creamy-breasted Canastero	<i>Asthenes dorbignyi</i>	Fairly common.
255	E	Steinbach's Canastero	<i>Asthenes steinbachi</i>	A male in the road between Tafi and Amaicha.
256		Puna Canastero	<i>Asthenes sclateri</i>	Common at Infiernillo.

257	Rufous-fronted Thornbird	<i>Phacellodomus rufifrons</i>	A couple with nest at Las Lajitas.
258	Greater Thornbird	<i>Phacellodomus ruber</i>	Common around Loreto.
259	Freckle-breasted Thornbird	<i>Phacellodomus striaticollis</i>	Common.
260	Streak-fronted Thornbird	<i>Phacellodomus striaticeps</i>	Common in highland valleys.
261	Spotted-breasted Thornbird	<i>Phacellodomus maculipectus</i>	Few at Yala PP.
262	Firewood-gatherer	<i>Anumbius annumbi</i>	One pair in Loreto.
263	Lark-like Brushrunner	<i>Coryphistera alaudina</i>	Common in chaco area.
264	Brown Cacholote	<i>Pseudoseisura lophotes</i>	One at JV Gonzales.
265	E White-throated Cacholote	<i>Pseudoseisura gutturalis</i>	A pair in Los Quilmes.
266	Chaco Earthcreeper	<i>Tarphonomus certhioides</i>	Common in chaco woodlands.
267	Buff-browed Foliage-gleaner	<i>Syndactyla rufosuperciliata</i>	Common in rainforest.
268	Ochre-breasted Foliage-gleaner	<i>Philydor lichtensteini</i>	One at Iguazú NP.
269	Buff-fronted Foliage-gleaner	<i>Philydor rufum</i>	A pair in a mix-flock in Misiones.
270	White-eyed Foliage-gleaner	<i>Automolus leucophthalmus</i>	One seen at Iguazú NP.
271	Sharp-tailed Streamcreeper	<i>Lochmias nematura</i>	Heard at Calilegua and again another heard at Iguazú NP.
272	Streaked Xenops	<i>Xenops rutilans</i>	One in a mix-flock at Iguazú NP.
273	Olivaceous Woodcreeper	<i>Sittasomus griseicapillus</i>	Common.
274	Scimitar-billed Woodcreeper	<i>Drymornis bridgesii</i>	Few at JV Gonzales.
275	White-throated Woodcreeper	<i>Xiphocolaptes albicollis</i>	Heard at Iguazú NP.
276	Great Rufous Woodcreeper	<i>Xiphocolaptes major</i>	One seen at Calilegua NP.
277	Planalto Woodcreeper	<i>Dendrocolaptes platyrostris</i>	One seen at Iguazú NP.
278	Lesser Woodcreeper	<i>Xiphorhynchus fuscus</i>	Several heard and a couple seen at Iguazú.
279	Narrow-billed Woodcreeper	<i>Lepidocolaptes angustirostris</i>	Common.
Family Thamnophilidae (Typical Antbirds)			
280	Spot-backed Antshrike	<i>Hypoedaleus guttatus</i>	Common.
281	Giant Antshrike	<i>Batara cinerea</i>	One pair at Calilegua NP.
282	Tufted Antshrike	<i>Mackenziaena severa</i>	A male seen at Iguazú NP.
283	Large-tailed Antshrike	<i>Mackenziaena leachii</i>	Heard at Misiones.
284	Great Antshrike	<i>Taraba major</i>	Common.
285	Variable Antshrike	<i>Thamnophilus caerulescens</i>	Common.
286	Rufous-capped Antshrike	<i>Thamnophilus ruficapillus</i>	One pair at Yala PP.
287	Plain Antwreos	<i>Dysithamnus mentalis</i>	Common.
288	Stripe-backed Antbird	<i>Myrmorchilus strigilatus</i>	Few at JV Gonzales.
289	Rufous-winged Antwren	<i>Herpsilochmus rufimarginatus</i>	Abundant.
290	Black-capped Antwren	<i>Herpsilochmus atricapillus</i>	One pair in Calilegua NP.
291	Streak-capped Antwren	<i>Terenura maculata</i>	Several heard and only one seen at Iguazú NP.
292	White-shouldered Fire-eye	<i>Pyriglena leucoptera</i>	One pair at Iguazú NP.
Family Formicariidae (Ground Antbirds)			
293	Short-tailed Antthrush	<i>Chamaeza campanisona</i>	Heard at Iguazú NP.
Family Grallaridae (Antpittas)			
294	White-throated Antpitta	<i>Grallaria albigula</i>	One seen at Calilegua NP.
Family Conopophagidae (Gnateaters)			
295	Rufous Gnateater	<i>Conopophaga lineata</i>	One at a patch of forest in Misiones.
Family Rhinocryptidae (Tapaculos)			
296	Crested Gallito	<i>Rhinocrypta lanceolata</i>	Common at JV Gonzales.
297	E Sandy Gallito	<i>Teledromas fuscus</i>	Two around Los Quilmes.
298	E White-browed Tapaculo	<i>Scytalopus superciliaris</i>	One seen at El Infiernillo.
299	Zimmer's Tapaculo	<i>Scytalopus zimmeri</i>	One seen at Cuesta del Obispo.
Family Tyrannidae (Tyrant-Flycatchers)			
300	Rough-legged Tyrannulet	<i>Phyllomyias burmeisteri</i>	One at Iguazú NP.
301	Greenish Tyrannulet	<i>Phyllomyias virescens</i>	One at Iguazú NP.
302	Sclater's Tyrannulet	<i>Phyllomyias sclateri</i>	Common in Yungas forest in Northwestern Argentina.

303	Greenish Elaenia	<i>Myiopagis viridicata</i>	Common in almost all kinds of wet forest.
304	Grey Elaenia	<i>Myiopagis caniceps</i>	Common at Calilegua NP.
305	Yellow-bellied Elaenia	<i>Elaenia flavogaster</i>	Common at Iguazú NP.
306	Large Elaenia	<i>Elaenia spectabilis</i>	One close to Calilegua NP.
307	Small-billed Elaenia	<i>Elaenia parvirostris</i>	Common.
308	Slaty Elaenia	<i>Elaenia strepera</i>	Common in Yala.
309	Highland Elaenia	<i>Elaenia obscura</i>	One at Calilegua NP.
310	White-crested Elaenia	<i>Elaenia albiceps</i>	One at Yala PP and several others at Calilegua NP.
311	Southern Beardless-Tyrannulet	<i>Camptostoma obsoletum</i>	Common.
312	Suiriri Flycatcher	<i>Suiriri suiriri</i>	Common.
313	White-throated Tyrannulet	<i>Mecocerculus leucophrys</i>	Common in Yungas forest in Northwestern Argentina.
314	Buff-banded Tyrannulet	<i>Mecocerculus hellmayri</i>	One at Tafi and another in Yala PP.
315	Yellow-billed Tit-Tyrant	<i>Anairetes flavirostris</i>	Several individuals.
316	White-crested Tyrannulet	<i>Serpophaga subcristata</i>	Common.
317	White-bellied Tyrannulet	<i>Serpophaga munda</i>	Common.
318	Yellow Tyrannulet	<i>Capsiempis flaveola</i>	Common.
319	Crested Doradito	<i>Pseudocolopteryx sclateri</i>	One at Iberá marshes.
320	Subtropical Doradito	<i>Pseudocolopteryx acutipennis</i>	One individual at Cuesta del Obispo.
321	Southern Antpipit	<i>Corythopsis delalandi</i>	Two observations in the same spot at Iguazú NP.
322	Tawny-crowned Pygmy-Tyrant	<i>Euscarthmus meloryphus</i>	One around Las Lajitas.
323	Greater Wagtail-Tyrant	<i>Stigmatura budytoides</i>	Common around Los Quilmes.
324	NT Southern Bristle-Tyrant	<i>Phylloscartes eximius</i>	One at Iguazú NP.
325	Mottled-cheeked Tyrannulet	<i>Phylloscartes ventralis</i>	Common.
326	Grey-hooded Flycatcher	<i>Mionectes rufiventris</i>	Heard only at Iguazú.
327	Sepia-capped Flycatcher	<i>Leptopogon amaurocephalus</i>	Common.
328	Southern Scrub-Flycatcher	<i>Sublegatus modestus</i>	One in Los Quilmes.
329	Plain Tyrannulet	<i>Inezia inornata</i>	Common around JV Gonzales.
330	Eared Pygmy-Tyrant	<i>Myiornis auricularis</i>	One pair at Iguazú NP.
331	Pearly-vented Tody-Tyrant	<i>Hemitriccus margaritaceiventer</i>	Common.
332	Ochre-faced Tody-Tyrant	<i>Poecilotriccus plumbeiceps</i>	Few at Calilegua NP.
333	Yellow-Olive Flycatcher	<i>Tolmomyias sulphurescens</i>	Common.
334	Bran-colored Flycatcher	<i>Myiophobus fasciatus</i>	Common.
335	Cinnamon Flycatcher	<i>Pyrrhomyias cinnamomeus</i>	One at Yala.
336	Cliff Flycatcher	<i>Hirundinea ferruginea</i>	Common.
337	Euler's Flycatcher	<i>Lathrotriccus euleri</i>	Common.
338	Fuscous Flycatcher	<i>Cnemotriccus fuscatus</i>	Several in different kinds of woodlands.
339	Smoke-colored Pewee	<i>Contopus fumigatus</i>	One at Yala PP.
340	Black Phoebe	<i>Sayornis nigricans</i>	Common in Yungas' rivers.
341	Vermilion Flycatcher	<i>Pyrocephalus rubinus</i>	Common.
342	Andean Negrilo	<i>Lessonia oreas</i>	Few in Abra Pampa.
343	Cinereous Tyrant	<i>Knipolegus striaticeps</i>	One at Chaco NP.
344	Andean Tyrant	<i>Knipolegus signatus</i>	Common in Yungas forest.
345	White-winged Black-Tyrant	<i>Knipolegus aterrimus</i>	Common in monte desert, principally around Los Quilmes.
346	Spectacled Tyrant	<i>Hymenops perspicillatus</i>	Few in a marsh close to Los Quilmes.
347	Yellow-browed Tyrant	<i>Satrapa icterophrys</i>	One in a woodland around Moldes.
348	Spot-billed Ground-Tyrant	<i>Muscisaxicola maculirostris</i>	One in Los Quilmes area and another in the lower part of the Humahuaca Gorge.
349	Black-fronted Ground-Tyrant	<i>Muscisaxicola frontalis</i>	One pair above Uquia.
350	Puna Ground-Tyrant	<i>Muscisaxicola juninensis</i>	One pair above Uquia.

351	Rufous-naped Ground-Tyrant	<i>Muscisaxicola rufivertex</i>	Several in the higher parts of the Puna.
352	Cinereous Ground-Tyrant	<i>Muscisaxicola cinereus</i>	One at el Infiernillo.
353	Black-billed Shrike-Tyrant	<i>Agriornis montanus</i>	Common.
354	VU White-tailed Shrike-Tyrant	<i>Agriornis albicauda</i>	We saw this extremely rare species twice! Both in the higher Humahuaca Gorge.
355	Gray Monjita	<i>Xolmis cinereus</i>	One at Loreto.
356	EB Black-crowned Monjita	<i>Xolmis coronatus</i>	One in Los Quilmes area.
357	White Monjita	<i>Xolmis irupero</i>	Common.
358	Streak-throated Bush-Tyrant	<i>Myiotheretes striaticollis</i>	One at Yala PP.
359	White-headed Marsh-Tyrant	<i>Arundinicola leucocephala</i>	Few at Loreto.
360	VU Strange-tailed Tyrant	<i>Alectrurus risora</i>	Few of this rare species at grasslands of Loreto.
361	D'Orbigny's Chat-Tyrant	<i>Ochthoeca oenanthoides</i>	Common at Yavi.
362	White-browed Chat-Tyrant	<i>Ochthoeca leucophrys</i>	One at Tafi.
363	Long-tailed Tyrant	<i>Colonia colonus</i>	One at Iguazú NP.
364	Cattle Tyrant	<i>Machetornis rixosa</i>	Common.
365	Piratic Flycatcher	<i>Legatus leucophaeus</i>	Common.
366	Social Flycatcher	<i>Myiozetetes similis</i>	Common.
367	Great Kiskadee	<i>Pitangus sulphuratus</i>	Abundant.
368	Streaked Flycatcher	<i>Myiodynastes maculatus</i>	Commonly heard and few seen.
369	Boat-billed Flycatcher	<i>Megarynchus pitangua</i>	A couple seen at Iguazú NP.
370	Crowned Slaty-Flycatcher	<i>Empidonomus aurantioatrocristatus</i>	Common.
371	Fork-tailed Flycatcher	<i>Tyrannus savana</i>	Abundant.
372	Tropical Kingbird	<i>Tyrannus melancholicus</i>	Abundant.
373	Eastern Kingbird	<i>Tyrannus tyrannus</i>	One seen around Yala. This is a rare visitor in Argentina.
374	Siryestes	<i>Siryestes sibilator</i>	Common at Iguazú NP.
375	Short-crested Flycatcher	<i>Myiarchus ferox</i>	One at Iguazú NP.
376	Brown-crested Flycatcher	<i>Myiarchus tyrannulus</i>	Several individuals.
377	Swainson's Flycatcher	<i>Myiarchus swainsoni</i>	Common.
378	Dusky-capped Flycatcher	<i>Myiarchus tuberculifer</i>	Common in Yungas forest in Northwestern Argentina.
Family Cotingidae (Plantcutters, Cotingas)			
379	White-tipped Plantcutter	<i>Phytotoma rutila</i>	Common.
Family Pipridae (Manakins)			
380	White-bearded Manakin	<i>Manacus manacus</i>	Few individuals in a Lek at Iguazú NP.
381	Swallow-tailed Manakin	<i>Chiroxiphia caudata</i>	Few at Iguazú.
Family Tityridae (Becards, Tityras, Schiffornis)			
382	Black-tailed Tityra	<i>Tityra cayana</i>	Uncommon.
383	Black-crowned Tityra	<i>Tityra inquisitor</i>	Uncommon.
384	Greenish Schiffornis	<i>Schiffornis virescens</i>	One at Iguazú NP.
385	Green-backed Becard	<i>Pachyramphus viridis</i>	Few at Iguazú.
386	Chestnut-crowned Becard	<i>Pachyramphus castaneus</i>	A pair in a mix-flock in Misiones.
387	White-winged Becard	<i>Pachyramphus polychopterus</i>	Common in Calilegua NP.
388	Crested Becard	<i>Pachyramphus validus</i>	Two in Tafi and Cuesta del Obispo.
Incertae sedis (Piprites)			
389	Wing-barred Piprites	<i>Piprites chloris</i>	One at Iguazú NP.
Family Vireonidae (Vireos, Greenlets)			
390	Rufous-browed Peppershrike	<i>Cyclarhis gujanensis</i>	Common.
391	Red-eyed Vireo	<i>Vireo olivaceus</i>	Abundant.
Family Corvidae (Jays)			
392	Purplish Jay	<i>Cyanocorax cyanomelas</i>	Only a group seen at Chaco NP.
393	Plush-crested Jay	<i>Cyanocorax chrysops</i>	Abundant.
Family Hirundinidae (Swallows)			
394	Blue-and-white Swallow	<i>Pygochelidon cyanoleuca</i>	Very Common.

395		Tawny-headed Swallow	<i>Alopocheidon fucata</i>	Few seen in rivers of northwestern Argentina.
396		Andean Swallow	<i>Orochelidon andaecola</i>	A group seen at Cuesta del Obispo.
397		Southern Rough-winged Swallow	<i>Stelgidopteryx ruficollis</i>	Few at Iguazú.
398		Grey-breasted Martin	<i>Progne chalybea</i>	Common at northeastern Argentina.
399		Southern Martin	<i>Progne elegans</i>	Common.
400		Brown-chested Martin	<i>Progne tapera</i>	Common.
401		White-winged Swallow	<i>Tachycineta albiventer</i>	Common at Iguazú NP.
402		White-rumped Swallow	<i>Tachycineta leucorrhoa</i>	Common.
403		Bank Swallow	<i>Riparia riparia</i>	Common at Loreto area.
404		Barn Swallow	<i>Hirundo rustica</i>	Common.
405		Cliff Swallow	<i>Petrochelidon pyrrhonota</i>	Common.
Family Troglodytidae (Wrens)				
406		House Wren	<i>Troglodytes aedon</i>	Abundant.
407		Mountain Wren	<i>Troglodytes solstitialis</i>	Seen at Yala and heard again at Calilegua NP.
408		Sedge Wren	<i>Cistothorus platensis</i>	Seen above Tafi.
Family Polioptilidae (Gnatcatchers)				
409	NT	Creamy-bellied Gnatcatcher	<i>Polioptila lactea</i>	One pair at Iguazú NP.
410		Masked Gnatcatcher	<i>Polioptila dumicola</i>	Common.
Incertae sedis (Donacobius)				
411		Black-capped Donacobius	<i>Donacobius atricapilla</i>	Few at Iberá marshlands.
Family Cinclidae (Dippers)				
412	VU	Rufous-throated Dipper	<i>Cinclus schulzi</i>	One at Los Sosa river and another in Yala PP.
Family Turdidae (Thrushes)				
413		Swainson's Thrush	<i>Catharus ustulatus</i>	Common at Calilegua NP.
414		Chiguanco Thrush	<i>Turdus chiguanco</i>	Abundant.
415		Glossy-Black Thrush	<i>Turdus serranus</i>	One at Calilegua NP.
416		Andean-Slaty Thrush	<i>Turdus nigriceps</i>	Common.
417		Rufous-bellied Thrush	<i>Turdus rufiventris</i>	Abundant.
418		Pale-breasted Thrush	<i>Turdus leucomelas</i>	Common.
419		Creamy-bellied Thrush	<i>Turdus amaurochalinus</i>	Abundant.
420		White-necked Thrush	<i>Turdus albicollis</i>	Few at Iguazú.
Family Mimidae (Mockingbirds)				
421		Chalk-browed Mockingbird	<i>Mimus saturninus</i>	Abundant.
422	NE	Patagonian Mockingbird	<i>Mimus patagonicus</i>	Common.
423		Brown-backed Mockingbird	<i>Mimus dorsalis</i>	Common at Humahuaca.
Family Motacillidae (Pipits)				
424		Yellowish Pipit	<i>Anthus lutescens</i>	One at Yala PP.
425		Short-billed Pipit	<i>Anthus furcatus</i>	Several around Abra Pampa.
426		Hellmayr's Pipit	<i>Anthus hellmayri</i>	Several around Loreto.
427		Paramo Pipit	<i>Anthus bogotensis</i>	Two individuals seen at Infiernillo.
Family Thraupidae (Tanagers)				
428		Red-crested Cardinal	<i>Paroaria coronata</i>	Common.
429		Magpie Tanager	<i>Cissopis leverianus</i>	Common at Misiones.
430		Orange-headed Tanager	<i>Thlypopsis sordida</i>	Uncommon.
431		Rust-and-yellow Tanager	<i>Thlypopsis ruficeps</i>	Not rare at Yala PP and Calilegua NP.
432		Chestnut-headed Tanager	<i>Pyrrhocomma ruficeps</i>	Few at Misiones rainforests.
433		Black-goggled Tanager	<i>Trichothraupis melanops</i>	Common.
434		Ruby-crowned Tanager	<i>Tachyphonus coronatus</i>	Common.
435		White-lined Tanager	<i>Tachyphonus rufus</i>	Common.
436		Sayaca Tanager	<i>Thraupis sayaca</i>	Abundant.
437		Blue-and-yellow Tanager	<i>Thraupis bonariensis</i>	Common.
438		Fawn-breasted Tanager	<i>Pipraeidea melanonota</i>	Common in Yungas forest in Northwestern Argentina.
439		Green-headed Tanager	<i>Tangara seledon</i>	Few groups at Iguazú NP.

440	Swallow Tanager	<i>Tersina viridis</i>	Common.
441	Blue Dacnis	<i>Dacnis cayana</i>	Uncommon.
442	Guira Tanager	<i>Hemithraupis guira</i>	Common.
443	Chestnut-vented Conebill	<i>Conirostrum speciosum</i>	Common.
444	Rusty Flowerpiercer	<i>Diglossa sittoides</i>	Several individuals at Cuesta del Obispo.

Incertae sedis (Bush tanagers, Grassquits, etc)

445	Common Bush-Tanager	<i>Chlorospingus ophthalmicus</i>	Common at Yungas forest.
446	Bananaquit	<i>Coereba flaveola</i>	Common in Pto. Iguazú.
447	Dull-colored Grassquit	<i>Tiaris obscura</i>	Common in Calilegua NP.
448	Grayish Saltator	<i>Saltator coerulescens</i>	Common.
449	Green-winged Saltator	<i>Saltator similis</i>	Common.
450	Golden-billed Saltator	<i>Saltator aurantiirostris</i>	Common.
451	NT Rufous-bellied Saltator	<i>Saltator rufiventris</i>	One pair at Cuesta del Obispo.
452	Many-colored Chaco-Finch	<i>Saltatricula multicolor</i>	Several individuals at JV Gonzales.

Family Emberizidae (Emberizid Finches)

453	Rufous-collared Sparrow	<i>Zonotrichia capensis</i>	Abundant.
454	Grassland Sparrow	<i>Ammodramus humeralis</i>	Common.
455	NE Stripe-capped Sparrow	<i>Aimophila strigiceps</i>	Common in chaco woodlands.
456	Black-hooded Sierra-Finch	<i>Phrygilus atriceps</i>	Common at Yavi and the Humahuaca Gorge.
457	Gray-hooded Sierra-Finch	<i>Phrygilus gayi</i>	Common.
458	Mourning Sierra-Finch	<i>Phrygilus fruticeti</i>	Common.
459	Plumbeous Sierra-Finch	<i>Phrygilus unicolor</i>	Common.
460	NE Red-backed Sierra-Finch	<i>Phrygilus dorsalis</i>	Just a pair above Uquia.
461	Ash-breasted Sierra-Finch	<i>Phrygilus plebejus</i>	Common.
462	Band-tailed Sierra-Finch	<i>Phrygilus alaudinus</i>	Uncommon.
463	Common Diuca-Finch	<i>Diuca diuca</i>	Some individuals at Los Quilmes.
464	NE-VU Tucuman Mountain-Finch	<i>Poospiza baeri</i>	Several between el Infiernillo and Tafi.
465	Rufous-sided Warbling-Finch	<i>Poospiza hypochondria</i>	Common.
466	Rusty-browed Warbling-Finch	<i>Poospiza erythrophrys</i>	Common.
467	Ringed Warbling-Finch	<i>Poospiza torquata</i>	Few at Los Quilmes area.
468	Black-capped Warbling-Finch	<i>Poospiza melanoleuca</i>	Common.
469	Puna Yellow-Finch	<i>Sicalis lutea</i>	Common above Humahuaca.
470	Bright-rumped Yellow-Finch	<i>Sicalis uropygialis</i>	Common in Abra Pampa and Yavi.
471	Citron-headed Yellow-Finch	<i>Sicalis luteocephala</i>	Common in Yavi.
472	Greenish Yellow-Finch	<i>Sicalis olivascens</i>	Common.
473	Saffron Finch	<i>Sicalis flaveola</i>	Common.
474	Grassland Yellow-Finch	<i>Sicalis luteola</i>	Common.
475	Wedge-tailed Grass-Finch	<i>Emberizoides herbicola</i>	few at Loreto.
476	Lesser Grass-Finch	<i>Emberizoides ypiranganus</i>	Common at Loreto area.
477	Great Pampa-Finch	<i>Embernagra platensis</i>	Common to Very Common.
478	Blue-black Grassquit	<i>Volatinia jacarina</i>	Few around Loreto.
479	Rusty-collared Seed eater	<i>Sporophila collaris</i>	Two at Loreto.
480	Lined Seed eater	<i>Sporophila lineola</i>	Common around Calilegua NP.
481	Double-collared Seed eater	<i>Sporophila caerulescens</i>	Common.
482	Tawny-bellied Seed eater	<i>Sporophila hypoxantha</i>	Few at Loreto grasslands.
483	NT Dark-throated Seed eater	<i>Sporophila ruficollis</i>	Few at Loreto grasslands.
484	VU Chestnut Seed eater	<i>Sporophila cinnamomea</i>	One at a marshland of Loreto.
485	Band-tailed Seed eater	<i>Catamenia analis</i>	Common.
486	Plain-colored Seed eater	<i>Catamenia inornata</i>	Common.
487	Stripe-headed Brush-Finch	<i>Arremon torquatus</i>	One at Calilegua NP.
488	Saffron-billed Sparrow	<i>Arremon flavirostris</i>	Common in Misiones province.
489	E Yellow-striped Brush-Finch	<i>Atlapetes citrinellus</i>	Common at Los Sosa PP.
490	Fulvous-headed Brush-Finch	<i>Atlapetes fulviceps</i>	Common in Yala PP and Calilegua NP.
491	Red-crested Finch	<i>Coryphospingus cucullatus</i>	Common.

Family Cardinalidae (Grosbeaks)			
492	Hepatic Tanager	<i>Piranga flava</i>	Common.
493	Red-crowned Ant-Tanager	<i>Habia rubica</i>	Few groups at Iguazú NP.
494	Black-backed Grosbeak	<i>Pheucticus aureoventris</i>	Several individuals around Yala.
495	Ultramarine Grosbeak	<i>Cyanocompsa brissonii</i>	Common.
Family Parulidae (New World Warblers)			
496	Tropical Parula	<i>Parula pitiayumi</i>	Common.
497	Masked Yellowthroat	<i>Geothlypis aequinoctialis</i>	Common.
498	Brown-capped Redstart	<i>Myioborus bruniceps</i>	Common in Yungas forest in Northwestern Argentina.
499	Two-banded Warbler	<i>Basileuterus bivittatus</i>	Common at Calilegua NP.
500	Pale-legged Warbler	<i>Basileuterus signatus</i>	Few in Calilegua NP.
501	Golden-crowned Warbler	<i>Basileuterus culicivorus</i>	Common.
502	White-browed Warbler	<i>Basileuterus leucoblepharus</i>	Common.
503	Riverbank Warbler	<i>Phaeothlypis rivularis</i>	One at Iguazú NP.
Family Icteridae (Orioles, Blackbirds)			
504	Crested Oropendola	<i>Psarocolius decumanus</i>	Common at Calilegua NP.
505	Red-rumped Cacique	<i>Cacicus haemorrhous</i>	Common at Misiones.
506	Golden-winged Cacique	<i>Cacicus chrysopterus</i>	Common.
507	Solitary Black Cacique	<i>Cacicus solitarius</i>	Common at Chaco and Corrientes provinces.
508	Epaulet Oriole	<i>Icterus cayanensis</i>	Common.
509	Chopi Blackbird	<i>Gnorimopsar chopi</i>	Common in southern Misiones province.
510	Scarlet-headed Blackbird	<i>Amblyramphus holosericeus</i>	Few individuals in marshlands around Loreto.
511	Unicolored Blackbird	<i>Agelasticus cyanopus</i>	Common in marshlands of Corrientes province.
512	Chestnut-capped Blackbird	<i>Chrysomus ruficapillus</i>	A group seen in a marshland close to Loreto.
513	Yellow-rumped Marshbird	<i>Pseudoleistes guirahuro</i>	Few at Loreto.
514	Bay-wing Cowbird	<i>Agelaioides badius</i>	Abundant.
515	Screaming Cowbird	<i>Molothrus rufoaxillaris</i>	Common.
516	Shiny Cowbird	<i>Molothrus bonariensis</i>	Abundant.
517	White-browed Blackbird	<i>Sturnella supercilialis</i>	Few in grasslands of Chaco and Corrientes provinces.
518	Long-tailed Meadowlark	<i>Sturnella loyca</i>	Common around Tafi.
Family Fringilidae (Cardueline Finches)			
519	Thick-billed Siskin	<i>Carduelis crassirostris</i>	A group above Pumamarca.
520	Hooded Siskin	<i>Carduelis magellanica</i>	Common.
521	Black Siskin	<i>Carduelis atrata</i>	Common.
522	Purple-throated Euphonia	<i>Euphonia chlorotica</i>	Common.
523	Violaceous Euphonia	<i>Euphonia violacea</i>	Few at Iguazú. One pair nesting on the waterfall area.
524	Golden-rumped Euphonia	<i>Euphonia cyanocephala</i>	One pair seen at Calilegua NP.
525	Chestnut-bellied Euphonia	<i>Euphonia pectoralis</i>	Common at Iguazú NP .
526	Blue-naped Chlorophonia	<i>Chlorophonia cyanea</i>	One pair at Iguazú NP.
Family Passeridae (Sparrows)			
527	I House Sparrow	<i>Passer domesticus</i>	Abundant.

MAMMAL LIST

1	European Hare	<i>Lepus europaeus</i>	Common
2	Brazilian Rabbit	<i>Sylvilagus brasiliensis</i>	Seen in Misiones
3	Brazilian Cavy	<i>Cavia aperea</i>	Common in corrientes and iberá
4	Southern Mountain Cavy	<i>Microcavia australis</i>	Some near Quilmes
5	Pampas Fox	<i>Lycalopex gymnocercus</i>	A couple in the andes deserts
6	Azara's Agouti	<i>Dasyprocta azarae</i>	Not rare in Iguazú
7	Plains Viscacha	<i>Lagostomus maximus</i>	Some lairs with big adult males in Iberá
8	Guanaco	<i>Lama guanicoe</i>	A couple of groups in Humahuaca.
9	Vicugna	<i>Vicugna vicugna</i>	Herds in the high Andes